


## International Endodontic Journal

© International Endodontic Journal. Published by John Wiley & Sons Ltd

INTERNATIONAL  
ENDODONTIC JOURNAL



[Accepted Articles](#) (Accepted, unedited articles published online and citable. The final edited and typeset version of record will appear in future.)

THESE ACCEPTED ARTICLES ARE NOW AVAILABLE ON [WILEY ONLINE LIBRARY](#)

### Original Scientific Articles

#### **Guided access cavity preparation using cone-beam computed tomography and optical surface scans – an ex vivo study**

J. Buchgreitz, M. Buchgreitz, D. Mortensen and L. Bjørndal

Accepted manuscript online: 22 JUL 2015 01:23AM EST | DOI: 10.1111/iej.12516

#### **The dental pulp stem cell niche based on aldehyde dehydrogenase 1 expression**

C V Machado, S T Passos, T M C Campos, L Bernardi, D S Vilas-Bôas, J E Nör, P D S Telles and I L Nascimento

Accepted manuscript online: 22 JUL 2015 01:19AM EST | DOI: 10.1111/iej.12511

### Case Reports

#### **Multiple periradicular radiolucencies mimicking endodontic lesions in renal osteodystrophy of the mandible: a case report**

P Jalali and S G Kim

Accepted manuscript online: 22 JUL 2015 01:18AM EST | DOI: 10.1111/iej.12512

### Original Scientific Articles

#### **Porosity and sealing ability of root fillings with gutta-percha and Bioroot RCS or AH Plus sealers. Evaluation by three ex vivo methods**

R Viapiana, A T Moizadeh, L Camilleri, P R Wesselink, M Tanomaru Filho and J Camilleri

Accepted manuscript online: 22 JUL 2015 01:18AM EST | DOI: 10.1111/iej.12513

### Case Reports

#### **The use of a single step regenerative approach for the treatment of a replanted mandibular central incisor with severe resorption**

A Chaniotis

Accepted manuscript online: 22 JUL 2015 01:17AM EST | DOI: 10.1111/iej.12515

### Original Scientific Articles

#### **Intracanal molar barometric pressure differentials at simulated altitude conditions—proof of concept study**

H.W. Roberts and T.C. Kirkpatrick

Accepted manuscript online: 22 JUL 2015 01:16AM EST | DOI: 10.1111/iej.12514