



International Endodontic Journal

© International Endodontic Journal

[Volume 45, Issue 5 Pages 401 - 498, May 2012](#)

The latest issue of International Endodontic Journal is available on [Wiley Online Library](#)

Original Scientific Articles

The response of human ectomesenchymal dental pulp stem cells to cisplatin treatment (pages 401–412)

M. Seifrtová, R. Havelek, J. Čmielová, A. Jiroutová, T. Soukup, L. Brůčková, J. Mokry, D. English and M. Řezáčová

Article first published online: 6 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01990.x

Hard-tissue debris accumulation created by conventional rotary versus self-adjusting file instrumentation in mesial root canal systems of mandibular molars (pages 413–418)

F. Paqué, A. Al-Jadaa and A. Kfir

Article first published online: 22 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01991.x

Changes in the surface of four calcium silicate-containing endodontic materials and an epoxy resin-based sealer after a solubility test (pages 419–428)

R. P. Borges, M. D. Sousa-Neto, M. A. Versiani, F. A. Rached-Júnior, G. De-Deus, C. E. S. Miranda and J. D. Pécora

Article first published online: 10 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01992.x

Comparison of the force required to fracture roots vertically after ultrasonic and Masserann removal of broken instruments (pages 429–434)

M. Gerek, E. D. Başer, M. B. Kayahan, H. Sunay, R. F. Kaptan and G. Bayırlı

Article first published online: 22 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01993.x

Effectiveness of three instrumentation systems to remove *Enterococcus faecalis* from root canals (pages 435–438)

M. Matos Neto, S. S. F. Santos, M. V. P. Leão, S. M. Habitante, J. R. D. D. Rodrigues and A. O. C. Jorge

Article first published online: 23 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01994.x

Biodentine™ induces TGF- β 1 release from human pulp cells and early dental pulp mineralization (pages 439–448)

P. Laurent, J. Camps and I. About

Article first published online: 22 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01995.x

Shaping ability and cleaning effectiveness of two single-file systems in severely curved

root canals of extracted teeth: Reciproc and WaveOne versus Mtwo and ProTaper (pages 449–461)

S. Bürklein, K. Hinschitzka, T. Dammaschke and E. Schäfer

Article first published online: 22 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01996.x

Nano-indentation testing of new and fractured nickel-titanium endodontic instruments (pages 462–468)

A. Jamleh, A. Sadr, N. Nomura, Y. Yahata, A. Ebihara, T. Hanawa, J. Tagami and H. Suda

Article first published online: 23 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01997.x

Physical and mechanical properties of a thermomechanically treated NiTi wire used in the manufacture of rotary endodontic instruments (pages 469–474)

E. S. J. Pereira, I. F. C. Peixoto, A. C. D. Viana, I. I. Oliveira, B. M. Gonzalez, V. T. L. Buono and M. G. A. Bahia

Article first published online: 22 DEC 2011 | DOI: 10.1111/j.1365-2591.2011.01998.x

Efficacy of irrigation systems on penetration of sodium hypochlorite to working length and to simulated uninstrumented areas in oval shaped root canals (pages 475–481)

C. de Gregorio, A. Paranjpe, A. Garcia, N. Navarrete, R. Estevez, E. O. Esplugues and N. Cohenca

Article first published online: 27 JAN 2012 | DOI: 10.1111/j.1365-2591.2011.01999.x

Evaluation of Nd:YAG and Er:YAG irradiation, antibacterial photodynamic therapy and sodium hypochlorite treatment on *Enterococcus faecalis* biofilms (pages 482–491)

M. A. Meire, T. Coenye, H. J. Nelis and R. J. G. De Moor

Article first published online: 14 JAN 2012 | DOI: 10.1111/j.1365-2591.2011.02000.x

Case Report

Sodium hypochlorite accident with evaluation by cone beam computed tomography (pages 492–498)

K. T. Behrents, M. L. Speer and M. Noujeim

Article first published online: 27 JAN 2012 | DOI: 10.1111/j.1365-2591.2011.02009.x