


INTERNATIONAL ENDODONTIC JOURNAL

The official journal of the British Endodontic Society and the European Society of Endodontology

INTERNATIONAL
ENDODONTIC JOURNAL



International Endodontic Journal

© International Endodontic Journal. Published by John Wiley & Sons Ltd

[Volume 49, Issue 10 Pages 913 - 1008, October 2016](#)

The latest issue of International Endodontic Journal is available on [Wiley Online Library](#)

Issue Information

Issue Information (page 913)

Version of Record online: 23 SEP 2016 | DOI: 10.1111/iej.12533

Clinical Research

Agreement between 2D and 3D radiographic outcome assessment one year after periapical surgery (pages 915–925)

T. von Arx, S. F. M. Janner, S. Hänni and M. M. Bornstein

Version of Record online: 8 OCT 2015 | DOI: 10.1111/iej.12548

Review Article

Clinical procedures for revitalization: current knowledge and considerations (pages 926–936)

K. M. Galler

Version of Record online: 1 FEB 2016 | DOI: 10.1111/iej.12606

Basic Research – Biological

Differentiation of stem cells derived from carious teeth into dopaminergic-like cells (pages 937–949)

N. Gnanasegaran, V. Govindasamy and N. H. Abu Kasim

Version of Record online: 3 OCT 2015 | DOI: 10.1111/iej.12545

Long-term exposure to pro-inflammatory cytokines inhibits the osteogenic/dentino-genic differentiation of stem cells from the apical papilla (pages 950–959)

C. Liu, H. Xiong, K. Chen, Y. Huang, Y. Huang and X. Yin

Version of Record online: 14 OCT 2015 | DOI: 10.1111/iej.12551

Basic Research – Technical

Sealing ability of two root-end filling materials in a bacterial nutrient leakage model (pages 960–965)

H. S. Antunes, L. F. Gominho, C. V. Andrade-Junior, N. Dessaune-Neto, F. R. F. Alves, I. N. Rôças and J. F. Siqueira Jr

Version of Record online: 28 SEP 2015 | DOI: 10.1111/iej.12543

Guided endodontics: accuracy of a novel method for guided access cavity preparation and root canal location (pages 966–972)

M. S. Zehnder, T. Connert, R. Weiger, G. Krastl and S. Kühl
Version of Record online: 3 OCT 2015 | DOI: 10.1111/iej.12544

Effect of delayed scanning on imaging and on the diagnostic accuracy of vertical root fractures in two photostimulable phosphor plates digital systems (pages 973–979)

H. A. R. Nascimento, M. A. P. G. Visconti, L. M. Ferreira, M. A. Suarez, F. Haiter Neto and D. Q. Freitas
Version of Record online: 3 OCT 2015 | DOI: 10.1111/iej.12547

Detection of artificially induced vertical root fractures of different widths by cone beam computed tomography *in vitro* and *in vivo* (pages 980–989)

I. M. Makeeva, S. F. Byakova, N. E. Novozhilova, E. K. Adzhieva, G. I. Golubeva, V. I. Grachev and I. V. Kasatkina
Version of Record online: 6 OCT 2015 | DOI: 10.1111/iej.12549

Effect of autoclave sterilization on the cyclic fatigue resistance of thermally treated Nickel–Titanium instruments (pages 990–995)

D. Zhao, Y. Shen, B. Peng and M. Haapasalo
Version of Record online: 12 OCT 2015 | DOI: 10.1111/iej.12550

Comparison of ProTaper Next and HyFlex instruments on apical debris extrusion in curved canals (pages 996–1000)

M. M. Koçak, E. Çiçek, S. Koçak, B. C. Sağlam and F. Furuncuoğlu
Version of Record online: 12 OCT 2015 | DOI: 10.1111/iej.12552

A proposal for using contralateral teeth to provide well-balanced experimental groups for endodontic studies (pages 1001–1008)

J. Xu, M. Y. Shao, H. Y. Pan, L. Lei, T. Liu, L. Cheng, T. Hu and P. M. H. Dummer
Version of Record online: 16 OCT 2015 | DOI: 10.1111/iej.12553